No.



8200151

TO ALL TO WHOM THESE PRESENTS SHALL COME;

Pekalb-Pfizer Genetics

Williereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF eighteen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-UDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, MPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN

'MDF-13D'

In Lestimony Wilherrot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington

27th day of February the year of our Lord one thousand nine hundred and eighty-four.

	AGRICULTURAL MARK	FORM APPROVED OMB NO. 40-R3822 No certificate for plant variety protection may be issued unless a completed application form has been received (5 U.S.C. 553).						
	LIVESTOCK, POULTRY, GRA PLICATION FOR PLANT VARIE TRUCTIONS: See Reverse.							
1a.	TEMPORARY DESIGNATION OF VARIETY							
	MDF-13D	MDF-1	3D	PV NUMBER 2001.51				
2.	KIND NAME	3. GENUS AND SPE	CIES NAME	FILING DATE	TIME A.M.			
	CORN	Zea M	ays	8/12/82 FEE RECEIVED	11:30 XPXNX.			
4.	FAMILY NAME (BOTANICAL)	5. DATE OF DETE	RMINATION	s 500.00	8/12/82			
	Gramineae	1978		\$250.00_	12/5/83			
6.	NAME OF APPLICANT(S)	7. ADDRESS (Stree	t and No. or R,F,D, No.,	City, State, and ZIP	8. TELEPHONE AREA			
DE	EKALB-PFIZER GENETICS bekans-referen Geneber		ore Road o, IL 60115		815/758-3461			
9.	IF THE NAMED APPLICANT IS NOT A PE	RSON, FORM OF	10. IF INCORPORAT	ED, GIVE STATE AND	11. DATE OF INCOR-			
	ORGANIZATION: (Corporation, partnersh Partnership	ip, association, etc.)	DATE OF INCOR	PORATION	PORATION			
. 12.	NAME AND MAILING ADDRESS OF APP	LICANT REPRESENTA	L ATIVE(S), IF ANY, TO S	SERVE IN THIS APPLIC	ATION AND RECEIVE			
	ALL PAPERS: Eric Christop	hersen; DEKA	ALB-PFIZER GI	ENETICS				
	3100 Sycamore DeKalb, IL 60		v.					
13.	CHECK BOX BELOW FOR EACH ATTACH							
	13A. Exhibit A, Origin and Bree		Variety (See Section 6	12 of the Plant Variety	Protection Act)			
	, , , , , , , , , , , , , , , , , , , ,	•	varioty (occ occisons	2 of the Lune variety	y Trotection Met.)			
	X 13B. Exhibit B, Novelty Statem	ent.						
	X 13C. Exhibit C, Objective Descr	iption of the Variety	(Request form from	Plant Variety Protect	ion Office.)			
	X 13D. Exhibit D, Additional Desc	cription of the Varie	ty.					
14a,	DOES THE APPLICANT(S) SPECIFY THAT SEED? (See Section 83(a). (If "Yes," answer	T SEED OF THIS VAR er 14B and 14C below.)		RIETY NAME ONLY AS	A CLASS OF CERTIFIED			
14b.	DOES THE APPLICANT(S) SPECIFY THAT LIMITED AS TO NUMBER OF GENERATI	T THIS VARIETY BE	14c. IF "YES," TO 14	B, HOW MANY GENER	ATIONS OF PRODUC-			
	YES NO	J. 13.	TION BEYOND BREEDER SEED? FOUNDATION REGISTERED CERTIFIED					
15a.	DID THE APPLICANT(S) FILE FOR PROT	ECTION OF THIS VAR	RIETY IN OTHER COU	NTRIES? TYES	X NO (If "Yes," give			
	name of countries and dates.)							
				e de la companya de l				
15b.	HAVE RIGHTS BEEN GRANTED THIS VA	RIETY IN OTHER CO	UNTRIES? YES	X NO (If "Yes,"	give name of countries			
	and dates,)							
	angular da kalan			· .				
	and the state of t		e jest osta a muni	* . * * * * * * * * * * * * * * * * * *				
16.	DOES THE APPLICANT(S) ACRES TO THE	TUBLICATION OF I	HO/HER-(THEIR) NAME	(8) AND ADDRESS IN	THE OFFICIAL			
17.	The applicant(s) declare(s) that a viable replenished upon request in accordance	e sample of basic seed	l of this variety will b	e furnished with the a	pplication and will be			
	The undersigned applicant(s) is (are) the variety is distinct, uniform, and stable a 42 of the Plant Variety Act.	e owner(s) of this se	xually reproduced no	vel plant variety, and	believe(s) that the provisions of Section			
	Applicant(s) is (are) informed that false	representation here	in can jeopardize prot	ection and result in p	enalties.			
i i	August 4, 1982	in Taller of the control of the cont	and a	m. Ba				
	(DATE)		John W.	SIGNATURE OF APPLIA MCCarter. IT	PANT)			
			Presider	nt	1			
	(DATE)	* 4. * 4.1		GNATURE OF APPLI	CANT)			

FORM GR-470 (1-78)

INSTRUCTIONS

GENERAL: Send an original copy of the application and exhibits, at least 2,500 viable seeds, and \$500 fee (\$250 filing fee and \$250 examination fee) to U.S. Dept. of Agriculture, Agricultural Marketing Service, Livestock, Poultry, Grain and Seed Division, Plant Variety Protection Office, National Agricultural Library Building, Beltsville, Maryland 20705. (See section 180.175 of the Regulations and Rules of Practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Give the date the applicant determined that he had a new variety based on (1) the definition in section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
 (2) the details of subsequent stages of selection and multiplication; (3) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4) evidence of uniformity and stability.
- Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties:

 (1) identify these varieties and state all differences objectively; (2) attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form, for all characteristics for which you have adequate data.
- Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe, such as, plant habit, plant color, disease resistance, etc.
- 14a If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled, his decision published, or the certificate has been issued. However, if the applicant specified "NO," he may change his choice. (See section 180.16 of the Regulations and Rules of Practice.)
- See section 42 of the Plant Variety Protection Act and section 180.7 of the Regulations and Rules of Practice.

Origin and Breeding History of Dent Corn Inbred MDF-13D

- Summer 1961: The cross H4101 (0h45 x C103) x 800M (Lancaster Composite) was made at DeKalb, Illinois. Inbred H4101 was planted in the 800M composite and detasseled. The 800M composite was used as the male. So seed from the ears was bulked. (1961 Nursery Book Row Number 21693).
- Winter 1961: Seed of the topcross H4101 x 800M was sent to Homestead, Florida for self pollination. All self pollinated ears were sent to DeKalb, Illinois. The S₁ seed was bulked. (1961 Nursery Book Row Number 7-4636).
- Summer 1962: The S₁ generation of the single cross H4101 x 800M was grown at DeKalb, Illinois and self pollinated. The S₁ generation was represented by a single row. S₂ seed from selected plants was bulked. (1962 Nursery Book Row Number 26684).
- Winter 1962: S₂ bulk seed was sent to Homestead, Florida and self pollinated. The S₂ generation was represented by a single row. All self pollinated ears were sent to DeKalb, Illinois. The S₃ seed from selected ears was bulked. (1962 Nursery Book Row Number 7-5215).
- Summer 1963: S₃ bulk seed was planted at DeKalb, Illinois and self pollinated. The S₃ generation was represented by a single row. S₄ seed from selected ears was bulked. (1963 Nursery Book Row Number 31318).
- Summer 1964: S4 bulk seed was planted at DeKalb, Illinois and self pollinated. The S4 generation was represented by two rows. Two ears were selected from the two rows. Each ear was shelled separately. The S5 seed from ear number one was coded MDF-13A. (1964 Nursery Book Row Number 23900).
- Summer 1965-
 - 1976: Inbred line MDF-13A maintained by self pollination of bulk seed from previous generations.
- Winter 1976: Twelve plants of MDF-13A were grown in the greenhouse at DeKalb, Illinois under Eradicane herbicide. Three plants tolerant to Eradicane were self pollinated. Two self-pollinated ears were harvested and shelled separately. (1976 Greenhouse Nursery Book Row Numbers 55 and 56).
- Summer 1977: Seed from ear number one was planted in a single row at DeKalb, Illinois and self pollinated. Ears from selected plants tolerant to Eradicane herbicide were bulk shelled. (1977 Nursery Book Row Number E-45).

Origin and Breeding History of Dent Corn Inbred MDF-13D Cont.

Winter 1977: Bulk seed from row E-45 was planted in the greenhouse at

DeKalb, Illinois for observation of tolerance to Eradicane herbicide. Bulk seed from E-45 was coded MDF-13D. (Greenhouse

Nursery Row Number 4-19 and 7-38).

Summer 1978: Initiation of seed increase of MDF-13D and testcrossing of

hybrids.

The initial cross of H4101 x 800M and subsequent selection in each of the segregating generations up to the coding of MDF-13A at the S_5 generation was made by Dr. Basil Tsotsis. The selection, parification, and coding of MDF-13D as an inbred tolerant to Eradicane herbicide was conducted by Dr. John H. Pfund.

The inbred line MDF-13D has been self pollinated and selected for enough generations to assure uniformity of the line. Agronomic characters such as plant height, ear height, tassel type and ear type are very uniform for the parent line MDF-13A. However, in 1976-1978 a further purification was done when MDF-13D was selected for Eradicane resistance, a character only visible when planted in conjunction with Eradicane. The isozyme analysis did not exhibit any residual variation.

The Illinois Crop Association, Inc. has certified several seed lots of MDF-13D which indicates that the line is uniform and stable. Enclosed are copies of certification of MDF-13D. (Exhibit A. Appendum I.)

8200151

03370/1/002 Exhibit A. Appendum I. MDF-13D DEKALB AGRESEARCH

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST Date FEBRUARY 22, 1982

Test No. 416496

Lot No. 0486-81

Pedigree MDF-13D Code cw300

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED. FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination 79	%	 Strong	%	1 1	Cold Test		%
Hard Seed	%	Pod & Stem Blight	 %		A-A Test	1,	%
Dead Seed 21	%	Other Diseases	%		Tetrazolium		%

PURITY REPORT:

Pure Seed	99.67	%		Test Weight		3.1	60.50LBS.
Weed Seeds		%					
Other Crop Seeds	.00	%		Moisture			8.00%
Total Inert Matter	.33	%					
Broken Seed .32		%	3	Total Weight of	Sample	Examined:	500.00
Other Inert .01		%			•		
				Dockage from	1,000 gra	ms:	

Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF

REMARKS: GRADE-F3

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

James R. Shen Manager

8200151

03370/1/002

DEKALB AGRESEARCH INC

Exhibit A. Appendum I. MDF-13D

Applicant

BOX 357

ILLIOPOLIS 62539 IL

TEST FEBRUARY 22, 1982 Date

416497 Test No.

Ø486-81 Lot No.

Kind & Variety (Producers Declaration) FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination	84	%	Strong	%		Cold Test	.%
Hard Seed		%	Pod & Stem Blight	%	•	A-A Test	%
Dead Seed	16	%	Other Diseases	%		Tetrazolium	 %

PURITY REPORT:

Pure Seed 99	.97 %	 Test Weight	61.80 _{LBS}
Weed Seeds	.00 %		
Other Crop Seeds	.00 %	 Moisture	8.00%
Total Inert Matter	.03 %		
Broken Seed .02	%	 Total Weight of Sample Examined:	500.00
Other Inert • 01	%		
	•	Dockage from 1,000 grams:	

Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF

GRADE-F4 REMARKS:

> This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.
>
> VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

stered Seed Technologist

DEKALB AGRESEARCH INC

Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS 62539 IL

TEST Date FEBRUARY 22, 1982

416498 Test No.

Lot No. 0486-81

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED. FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination	82	%	 Strong	 %	Cold Test	%
Hard Seed		%	 Pod & Stem Blight	%	A-A Test	%
Dead Seed	. 18	%	Other Diseases	% .	 Tetrazolium	 %

Pure Seed	99.87	%	100	Test Weight 60.80LBS
Weed Seeds	.00	%		
Other Crop Seeds	.00	%	1	Moisture 8.00%
Total Inert Matter	.13	% .		
Broken Seed .02		%		Total Weight of Sample Examined: 500.00
Other Inert .11		%	200	
(홍화) 당시, 기업 이번부터 너무 있는		:	$s \in \mathbb{R}^{r}$	Dockage from 1,000 grams:

Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF

REMARKS: GRADE-F5

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS. VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

DEKALB AGRESEARCH INC

MDF-13D Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST Date FEBRUARY 22, 1982

Test No. 416499

Lot No. 0486-81

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination	93	%	Strong	%	4 - 4 4	Cold Test		%
Hard Seed	_	%	Pod & Stem Blight	%		A-A Test	5 .	%
Dead Seed	, 7	%	Other Diseases	%		Tetrazolium		%

PURITY REPORT:

Pure Seed 99.97 %	Test Weight 61.50 LBS.	
Weed Seeds .00 %		
Other Crop Seeds • ØØ %	Moisture 8.00%	
Total Inert Matter .03 %		
Broken Seed • Ø2 %	Total Weight of Sample Examined: 500.00	:
Other Inert • Ø1 %		
	Dockage from 1,000 grams:	
each faile is all the first of the control of the c	· 1987、 1987年 - 19874年 - 1987年 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 19874 - 1987	

	그리트 그는 그 그는 아는 그는 그리고 그리고 하는 항목을 함께 함께
Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF

GRADE-F6

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

James R. Shen

7

Ø337Ø/1/ØØ2 DEKALB AGRESEARCH INC

MDF-13D Exhibit A. Appendum

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST Date FEBRUARY 22, 1982

Test No. 416500

Lot No. 0486-81

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination	69 %	Strong	%	Cold Test	%
Hard Seed	%	Pod & Stem Blight	%	A-A Test	%
Dead Seed	31 %	Other Diseases	%. · · · · · · · · · · · · · · · · · · ·	Tetrazolium	%

PURITY REPORT:

	Pure Seed 99.93	%		Test Weight 62.20LBS.
	Weed Seeds .ØØ	%		
	Other Crop Seeds .00	%		Moisture 8.00%
Š.	Total Inert Matter .07	%		
	Broken Seed .06	%		Total Weight of Sample Examined: 500.00
	Other Inert .Ø1	%		
			at a significant	Dockage from 1,000 grams:
	통향을 다 작곡하라면 하다 하는 것으로 하고 있다면 보다.		* * *	

Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF

REMARKS: GRADE-R12

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

James R. Shend

6 192

ora(IAL

8200151

03370/1/002

DEKALB AGRESEARCH INC

MDF-13D Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST Date FEBRUARY 22, 1982

Test No. 416501

Lot No. 0486-81

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination 75 %	Strong %	Cold Test %
Hard Seed %	Pod & Stem Blight %	A-A Test %
Dead Seed 25 %	Other Diseases %	Tetrazolium %

PURITY REPORT:

Pure Seed 99.99 %	Test Weight 59.70 LBS.
Weed Seeds • ØØ %	
Other Crop Seeds .00 %	Moisture 8.00%
Total Inert Matter .01 %	
Broken Seed •ØØ %	Total Weight of Sample Examined: 500.00
Other Inert $\cdot ^{ extstyle 0 1 }$ %	
	Dockage from 1,000 grams:

[통화] 게 지현생이가 하네가 있다.	
Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	CHAFF

REMARKS: GRADE-R13

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

James R. Shen

8200151

03370/1/002

DEKALB AGRESEARCH

MDF-13D Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST Date FEBRUARY 22, 1982

Test No. 416502

Lot No. Ø486-81

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination 87	7 %	Strong	%	Cold Test		%
Hard Seed	%	Pod & Stem Bli	ight %	A-A Test	,	%
Dead Seed 13	3 %	Other Diseases	%	Tetrazolium		%

PURITY REPORT:

Pure Seed 99.97 % Test Weight	60,50LBS.
Weed Seeds .ØØ %	
Other Crop Seeds .00 % Moisture	8.00%
Total Inert Matter .03 %	
Broken Seed .02 % Total Weight of Sample	Examined: 500.00
Other Inert .01	
Dockage from 1,000 gra	ams:

	그는 그들은 그는 그들은 그는 그들은 그들은 그들은 그들은 그들은 그들은 그들은 사람들이 함께 유통한 속을 받았다.
Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF

REMARKS: GRADE-R14

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

EED JULY 6 1982

Registered Seed Technologist

James K. She

DEKALB AGRESEARCH INC MDF-13D Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST FEBRUARY 22, 1982 Date

416503 Test No.

Ø486-81 Lot No.

Kind & Variety (Producers Declaration)

FOUNDATION

0486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED. FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

89 Germination Strong % Cold Test % Hard Seed % Pod & Stem Blight % A-A Test 11 Dead Seed Other Diseases Tetrazolium

PURITY REPORT:

Pure Seed 99.99 %)	Test Weight		61.90 _{LBS}
weed Seeds •ØØ %	,			
Other Crop Seeds •ØØ %)	Moisture		8.00%
Total Inert Matter .01 %)			
Broken Seed • ØØ %) ⁽¹⁾	Total Weight of	Sample Examir	ned: 500.00
Other Inert . Ø1	•			
		Dockage from 1	1,000 grams:	

Noxious Weeds		Other Weed Seeds
NONE	NONE	
Other Crop Seeds		Inert Matter
NONE	CHAFF	

GRADE-R15 REMARKS:

> This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS. VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

Registered Seed Technologist

DEKALB AGRESEARCH INC

MDF-13D Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS IL62539

TEST Date FEBRUARY 22, 1982

416504 Test No.

Lot No. 0486-81

Kind & Variety (Producers Declaration)

FOUNDATION

Ø486

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED. FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination	93 %		4	Strong		%		Cold Test	%
Hard Seed	%	\mathbf{p}_{i}^{N} .		Pod & Stem Blight	•	%		A-A Test	%
Dead Seed	7 %)		Other Diseases		%	٠.	Tetrazolium	%

PURITY REPORT:

Pure Seed 99.85	%	Test Weight 65.90LBS
Weed Seeds .00	%	그리다 나는 이 사람들은 하는 사람들이 사용하는 기가 없다.
Other Crop Seeds .00	%	Moisture 10.40%
Total Inert Matter .15	%	
Broken Seed . Ø2	%	Total Weight of Sample Examined: 500.00
Other Inert .13	%	
		Dockage from 1,000 grams:

Noxious Weeds	Other Weed Seeds
NONE	NONE
Other Crop Seeds	Inert Matter
NONE	BROKEN SEED CHAFF STONES

REMARKS: GRADE-R16

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS. VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

RECO JUL 6 1982

Seed Technologist

DEKALB AGRESEARCH INC

MDF-13D Exhibit A. Appendum I.

Applicant

BOX 357

ILLIOPOLIS IL 62539

TEST Date APRIL

Ø8, 1982

Test No. 420433

Lot No. 0486-81

Kind & Variety (Producers Declaration)

FOUNDATION

04.86

CORN, FIELD

THIS SAMPLE MEETS CERTIFICATION REQUIREMENTS BASED ON SOURCE OF SEED, FIELD INSPECTION AND LABORATORY ANALYSIS

GERMINATION REPORT: 400 Seeds

Germination	91	%		Strong	* .	%	Cold Test	**.	%
Hard Seed		%		Pod & Stem Blig	ht	%	A-A Test		%
Dead Seed	9	%	•	Other Diseases		%	Tetrazolium	100	%

PURITY REPORT:

Pure Seed %	: N	Test Weight		65.20LBS.
Weed Seeds %				
Other Crop Seeds %		Moisture		10.80%
Total Inert Matter %				
Broken Seed %	in the second	Total Weight of S	Sample Exam	ined: 500.00
Other Inert %	* *		•	
		Dockage from 1,0	000 grams:	

		•			
	Noxious Weeds	 	Other Weed S	Seeds	
NONE		NONE	s		
and the same as an	Other Crop Seeds	 : -	Inert Matte		
NONE					

REMARKS: NO OTHER VARIETIES FOUND.

This certifies that the sample of seed submitted of the lot designated above has been analyzed in accordance with the RULES FOR SEED TESTING AS ADOPTED BY THE ASSOCIATION OF OFFICIAL SEED ANALYSTS.

VIGOR TESTING INFORMATION CANNOT BE USED FOR LABELING PURPOSES.

ILLINOIS CROP IMPROVEMENT ASSOCIATION, INC.

508 South Broadway, Urbana, Illinois 61801 Telephone: 217-367-4053

RELE JUL 6 1962

13

Registered Seed Technologist

James R. Shenl

MDF-13D

Exhibit B, Novelty Statement.

MDF-13D is a yellow corn inbred. MDF-13D can best be described as being developed from Lancaster origin. Lancaster is an old land race that was grown in the eastern part of the U.S. and noted for a good general level of resistance to leaf diseases. C103 was a direct descendent of the Lancaster land race. As can be noted, C103 is a distant relative of MDF-13D and the 800 M composite is also an improved breeding composite related to the Lancaster land race. A more recent comparative public inbred related to the Lancaster land race would be Mo17.

The amount of husk leaves that cover the ear are statistically different in the MDF-13D vs. Mo17-H comparison. An additional ear characteristic which is statistically, significantly different is the number of kernel rows (12.6 vs. 10.4) with MDF-13D being larger. These data are presented in Exhibit B, Appendum I.

The picture of MDF-13D and Mo17-H ears shows the difference in kernel type, a flinty type for MDF-13D and a very pronounced dent for Mo17-H. The picture also shows the difference in cob color with MDF-13D having a white and Mo17-H having a red cob. (See Exhibit B, Appendum II.)

MDF-130 IS MOST SIMILAR TO MOITHT (APPLICANT'S WETTER OF AUG 18, 1983). Rfs 9/1/83

MDF-13D

Exhibit B, Novelty Statement.

Appendum I.

MDF-13D vs. Mo17-H

		•		Testing Hypothesis $H_0: \mu_1 = \mu_2$
Cha	Ear racteristics	MDF-13D	Mo17-H	H _A :μ1 ≠ μ2
1.	Husk Number	$\overline{X}_1 = 8.2$	$\overline{X}_2 = 7.4$	Not significant ($\alpha = 0.1$)
2.	Husk Area	$\overline{X}_1 = 1310.84$	$\overline{X}_2 = 1938.98$	Significant ($\alpha = 0.1$)
3.	Husk Cover	$\overline{X}_1 = 6.7$	$\overline{X}_2 = 7.1$	Not significant (α = 0.1)
4.	Shank Length	$\overline{X}_1 = 13.1$	$\overline{X}_2 = 14$	Not significant ($\alpha = 0.1$)
5.	Number of Kernel Rows	$\overline{X}_1 = 12.6$	$\overline{X}_2 = 10.4$	Significant ($\alpha = 0.1$)
6.	Ear Length	$\overline{X}_1 = 19.4$	$\overline{X}_2 = 18$	Not significant ($\alpha = 0.1$)
7.	Ear Diameter	$\overline{X}_1 = 3.3$	$\overline{X}_2 = 3.6$	Not significant ($\alpha = 0.1$)
8.	Cob Diameter	$\overline{X}_1 = 2.2$	$\overline{X}_2 = 1.7$	Not significant ($\alpha = 0.1$)

¹⁾ $\eta_1 = \eta_2 = 5$

²⁾ Detailed calculations are available.

MDF-13D

13B. Exhibit B, Novelty Statement.

Appendum II.



MDF-13D has a flint kernel and Mo17-H has a kernel with a pronounced dent in the cap. Also note that the cob color of MDF-13D is white and Mo17-H is red.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY, GRAIN & SEED DIVISION BELTSVILLE, MARYLAND 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY

MDF-13D

CORN (ZEA MAYS)	
NAME OF APPLICANT(S)	FOR OFFICIAL USE ONLY
DEKALB AgResearch, Inc.	PVPO NUMBER 8200151
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) Sycamore Road	VARIETY NAME OR TEMPORARY
DeKalb, IL 60115	DESIGNATION
John. 3, 12 00110	MOF-13D
Place the appropriate number that describes the varietal character of this variety in the Place a zero in first box (e-8-0 8 9 or 0 9) when number is either 99 or less or	boxes below. 9 or less.
1. TYPE:	
3 1 = SWEET 2 = DENT 3 = FLINT 4 = FLOUR 5 = PC	OP 6 = ORNAMENTAL
2. REGION WHERE BEST ADAPTED IN THE U.S.A.:	
2 1 = NORTHWEST 2 = NORTHCENTRAL 3 = NORTHEAST 5 = SOUTHCENTRAL 6 = SOUTHWEST 7 = MOST REGIONS	4 = SOUTHEAST
	omments" (pg. 3) state how
	s were calculated)
8 3 DAYS FROM EMERGENCE TO 50% OF PLANTS IN SILK	4 7 HEAT UNITS
N A DAYS FROM 50% SILK TO OPTIMUM EDIBLE QUALITY	HEAT UNITS
6 5 DAYS FROM 50% SILK TO HARVEST AT 25% KERNEL MOISTURE 1 2	8 8 HEAT UNITS
4. PLANT:	
1 7 8 CM. HEIGHT (To tassel tip)	7 8 CM. EAR HEIGHT (To base of top ear)
1 6 CM. LENGTH OF TOP EAR INTERNODE	
Number of Tillers: Number of Ears Per Stalk:	
1 1 = NONE 2 = 1-2 3 = 2-3 4 = >3 2 1 = SINGLE 2 = 3 = STRONG TWO	SLIGHT TWO-EAR TENDENCY EAR TENDENCY 4 = THREE-EAR TENDENCY
Cytoplasm Type:	- THE PERSON OF THE PERSON OF
1 1 = NORMAL 2 = "T" 3 = "S" 4 = "C" 5 = OTHER (Chaniful
	Specify/
5. LEAF (Field Corn Inbred Examples Given):	
Color:	
1 = LIGHT GREEN (HY) 2 = MEDIUM GREEN (WF9) 3 = DARK GREE	EN (B14) 4 = VERY DARK GREEN (K166
Angle from Stalk (Upper half); Sheath Pubscence:	en di maria di managan
1 = $< 30^{\circ}$ 2 = 30-60° 3 = $> 60^{\circ}$ 2 1 = LIGHT (V) 3 = HEAVY (
Marginal Waves: Longitudinal Creases:	
2 1 = NONE (HY) 2 = FEW (WF9) 3 = MANY (OH7L) 2 1 = ABSENT	• • • • • • • • • • • • • • • • • • • •
3 = MANY (P Width: Length:	A11)
Longitte	1 7
1 0 CM. WIDEST POINT OF EAR NODE LEAF 0 8 1 CM. EA	R NODE LEAF
116	

	<u> </u>							April 1
, (6. TASSEL:	TO THE SECOND SECTION OF THE SECOND	医乳腺性原生物 经电流的额帐户			•		
	1 0			V				
	- I		ATERAL BRANCHES Mark a la Marches (1968) (1962)	. 1_		i. Distribution of the second control of the	18 4 E V 2	· · · · · · · · · · · · · · · · · · ·
	Branch Ang	le from Central Sp	ike:		Penduncle Length	···		
	2	1 = / 200	2 = 30-40° 3 =		0 7		OD 4 EAE TO BA	SAL BRANCHES
	ا کا		2 - 30-40 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3 - 3					
	Pollen Shed		er e alle present		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	in Nair Marita Maria (1944 e 1967) Transport	the State State	For Marie 1
	<u>Lava</u> gion se y				Sind market made county in the	V ₁ 3. W		
	3	1 = LIGHT (WF9	2 = ME	DIUM		/(KY21)		
		€1,448 1	1. 在1962年2月	g - 프랑인. -		Factor Factor		A Company
)				*	•
		Anther Color:	7		Series SS⇔REC	. 4=	PURPLE	5 = GREEN
•	5	Glume Color:	6 = OTHER (Specify	')				
	Pollen Resto	oration for Cytopla	sms (o = Not Tested, 1 =	= Partial, 2 = Goor	d)		:	
	÷	er i erre um s trauwer i i	Professional Aug.	• • •				
	"т"		"s" 2 "c"	ОТІ	IER (Specify Cyto	oplasm and degre	es of restoration)	
	L !	الشيدا	<u> </u>				-	
				\$:	
	7. EAR (Hus	ed Ear Data Excep	ot When Stated Otherwis	e):				
•	19	CM LENGTH	3 8 MM, MID-F	POINT	1 1 1	OM WEIGHT		
	التلاليا	•	DIAMETE			GM. WEIGHT		•
	Kernel Row	ş:						
	2	4 - 111010711107	6 - BIOTH		1 4	NUMBER		0
		T = INDISTINCT	2 = DISTI	901		•		
			and the second second	·				
	1	1 = STRAIGHT	2 = SLIGHTL	Y CURVED	3 = SPIRA	L		
	Silk Color (E	xposed at Silking	Stage):					·
					•			
	4	1 = GREEN	2 = PINK	3 = SALMON	4 = R	ED	. *	
		y						
	Husk Color:	To see a	Date of the state of					•
	2	FRESH)	1 = LIGHT GREE	:N	2 = DARK GRE	EN	3 = PINK	
		5 557	A = DED					
	6	DRY)	4 = RED	5 = PUR	PLE	6 = BUFF		
		on: (Harvest Stag			usk Leaf:		-	
	3 1=SH	ORT (Ears Expose NG (8–10CM Bey	d) 2 = MEDIUM (Barel)	/ Covering Ear)	3 1	= SHORT (< 8		IUM (8-15 CM)
	4 = VE	RY LONG (> 10	CM)			= LONG (> 15		
	Shank:			Po	osition at Dry Hus	k Stage:	• •	
	1 9	CM LONG	7 NO. OF INTERNO)DES		- UPRIGHT	2 = HORIZONT	AL 3 = PENDENT
·	لنجساسا			,523	- ۱ البتيب	- 011110111	Z - HOHIZOWI	AL: 3-FENDENT
	Taper:			Di	rying Time (Unhu	sked Ear):	\$	•
	1	1 = SLIGHT 2	= AVERAGE 3= E	XTREME	2	- CLOW	0-4458465	2 - 5407
Ω	KERNEL (Dr		AVEINGE 3.25	STOCIVIE		SLOW	2 = AVERAGE	3 = FAST
٥.		iea): er Mid-Point):			• •			
••		·	رماما	ريا	-1	•		
	0 9	MM LONG	0 8 MM.	NIDE 0	_5] мм. тні	ск		1
	Shape Grade	% Rounds)						• •••

4 = 60-80

FORM LPGS-470-28 (3-79)

8. KERNE	L (Dried) :			·····			J 76	
3	Pericarp Color:	1 = COLORLES NWCAB = 6 TAGEIRAV = 8		6 = LIGHT R	ITE CROWN	3 = TAN 7 = CHERRY		ZE
1	Aleurone Color:	1 = HOMOZYGO	บร	2 = SEGR	EGATING (Describe)			
1 0	1 = WHITE 7 = PURPLE				4 = BROWN	10= Yello	5 = BRONZE	6 = RED
3	Endosperm Color:	1 = WHITE	2 = PALE	YELLOW	3 = YELLOW	4 = PINK-0	RANGE 5	= WHITE CAP.
Endosper	m Type:					٠		
3	1 = SWEET (su1) 5 = WAXY STARCE		CTRA SWEET SH PROTEIN		3 = NORMAL STA 7 = HIGH LYSINE	· ·	= HIGH AMYLOS = OTHER (Specif	
2 6	GM. WEIGHT /100	SEEDS (Unsized)	Sample)			_		
9. cos:	MM. DIAMETER A					· .	•	
Strength:	· · · · · · · · · · · · · · · · · · ·			Col	DY:			
2	1 = WEAK	2 = STRONG		1	1 = WHITE 2 5 = VARIEGATED	-	RED 4 = BR THER (Specify)_	•
10. DISEASE	RESISTANCE (O =	Not Tested, 1 = S	usceptible, 2 =	= Resistant):				
0 1.8 0	STALK ROT (Diplo NORTHERN LEAF SOUTHERN RUST BACTERIAL LEAF OTHER (Specify)	BLIGHT	1.9 sou	LK ROT (Fu JTHERN LEA RN SMUT ZE DWARF	AF BLIGHT	0	STALK ROT (GII SMUT BACTERIAL WII	
11. INSECT F	RESISTANCT (O = N	ot Tested, 1 = Sus	ceptible, 2 = i	Resistant):				
同	CORNBORER		ARWORM	(Western)	0 SAP	BEET L E	2	APHID
0	ROOTWORM (South	ern) 1.6 c	THER (Speci	_{fy)} 2nd	l brood ECB			
to VARIETIE	E MOST CLOSELY	DESEMBLING TO	LAT CHIDEAUT	TER FOR TH	IE CHARACTERS GI		<u></u>	<u> </u>
12. VARIETIE CHARACT		c .	VARIETY	TED FOR 11	CHARACTER CHARACTER	VEIN:	VARIE	TY
Maturity			1017H		Kernel Type			
Plant Type					Quality (Edible)		
Ear Type			·		Usage		Mo17H	
C E T S	J.S. Department Agri corn: Culture, Proced merson, R.A., G.W. I he Mutants of Maize tringfield, G.H. Maize	sing, Products. 1 Beadle, and A.C. I 1968. Crop Sci a Inbred Lines of	970 Avi Publi Fraser. A Sumi ence Society o Ohio. Ohio A.	mary of Links of America. A .E.S. Bul. 83		ornell A.E.S., t	/lem. 180. 1935.	
COMMENT	s: Heat unit	calculatio	ns:					
		•		emp. (86	S°F) + Daily m	in. temp	. (50°F) -	50°F 19

FORM LPGS-470-28 (3-79)

MDF-13D

Exhibit D, Additional Description of the Variety.

The isozyme analysis of Mo17-H and MDF-13D shows genetic differences at 3 different loci: Acph - 2 vs. 3, Pgm2 - 8 vs. 4, and Phi - 4 vs. 5, respectively. (Exhibit D, Appendum I)

MDF-13D

Exhibit D, Additional Description of the Variety. Appendum I.

Isozyme genotypes of Mo17H and MDF-13D

	Alleles Present				
Locus	Mo17H	MDF-13D			
Acph	2	3			
Adh	4 .	4			
Cat	9 .	9			
Ер	6	. 6			
Got1	4				
Got2	4	4			
Got3	4	4			
β-G1u	6	6			
Idh1	4 6 4	4 4 4 6 4			
Idh2	4	4			
Mdh1	6(N)+	6(N)+			
Mdh2	`6´	`6´			
Mdh3	16	16			
Mdh4	12	12			
Mdh5	N	N			
Pgm1	9				
Pgm2	8	4			
Phi	4	9 4 5			
# Plants Assayed	6	25			

+Allele is 6 or null.

The technique of using isozymes for genotyping or "fingerprinting" is described by the following reference:

Goodman, M.M. and C.W. Stuber. 1980. Genetic identification of lines and crosses using isoenzyme electrophoresis. Proceedings of the Thirty-fifth Annual Corn & Sorghum Industry Research Conference.